


# MM Metal Mart

*Employee Owned - Service Driven*










**Color Chart**















# STANDARD COLOR CHART

*Our Standard Color Chart reflects the widest combination of profile and gauge availability based on typical coil inventory used primarily for our exposed fastener systems (R-Panel, Multi-Rib, Max-Rib, U-Panel, etc). Some standard colors may be available for select concealed fastener systems. Contact your local Metal Mart for additional information regarding color and gauge availability.*

## SILICONIZED MODIFIED POLYESTER (SMP) 30 YR LTD FINISH / 50 YR LTD SUBSTRATE \$

<p>GALVALUME PLUS (25 YR/ 45 YR)</p>  <p>SR=0.69 SE=0.19 SRI=62</p>	<p>BRITE WHITE</p>  <p>SR=0.68 SE=0.86 SRI=82</p>	<p>LIGHT STONE</p>  <p>SR=N/A SE=N/A SRI=N/A</p>	<p>ASH GRAY</p>  <p>SR=0.39 SE=0.84 SRI=41</p>
<p>TIMBER TAN</p>  <p>SR=N/A SE=N/A SRI=N/A</p>	<p>AUTUMN RED</p>  <p>SR=N/A SE=N/A SRI=N/A</p>	<p>EVERGREEN</p>  <p>SR=0.26 SE=0.84 SRI=24</p>	

## ULTRA-PRIME KYNAR 500 (PVF / PVDF) 40 YR LTD FINISH / 50 YR LTD SUBSTRATE \$\$

<p>REGAL WHITE</p>  <p>SR=0.68 SE=0.86 SRI=82</p>	<p>IVORY</p>  <p>SR=N/A SE=N/A SRI=N/A</p>	<p>LIGHT STONE</p>  <p>SR=N/A SE=N/A SRI=N/A</p>	<p>SURREY BEIGE</p>  <p>SR=0.40 SE=0.86 SRI=43</p>
<p>CLAY</p>  <p>SR=N/A SE=N/A SRI=N/A</p>	<p>TUDOR BROWN</p>  <p>SR=N/A SE=N/A SRI=N/A</p>	<p>PATRICIAN BRONZE</p>  <p>SR=0.27 SE=0.86 SRI=26</p>	<p>ASH GRAY</p>  <p>SR=0.39 SE=0.84 SRI=41</p>
<p>CHARCOAL</p>  <p>SR=0.32 SE=0.85 SRI=32</p>	<p>MATTE BLACK</p>  <p>SR=0.27 SE=0.86 SRI=26</p>	<p>PATINA GREEN</p>  <p>SR=0.46 SE=0.85 SRI=51</p>	<p>EVERGREEN</p>  <p>SR=0.26 SE=0.84 SRI=24</p>
<p>ROMAN BLUE</p>  <p>SR=0.26 SE=0.85 SRI=24</p>	<p>AUTUMN RED</p>  <p>SR=N/A SE=N/A SRI=N/A</p>		












**!** Some colors may not be readily available on all products. Always check availability when ordering as turn-around time can vary. Color may vary between orders, especially on our Metallic and Specialty coatings. **Selection and availability is subject to change without notice.** Contact your local Metal Mart store for current availability and additional details.

Solar Reflectance (SR) is the measure of the amount of solar energy that is immediately reflected from the surface. Solar Emissivity (SE) is the ability of a material to emit the residual heat back into the surrounding atmosphere. The Solar Reflectance Index (SRI) is a measure of the color's ability to reject solar heat, considering reflectance, emissivity and convection across the surface of the roof. N/A indicates there is no data available for the specified color.





# PREMIUM COLOR CHART

*Our Premium Color Chart reflects the typical coil inventory used primarily for our concealed fastener systems (Meridian, Medallion Lok, Insta-Loc, Maxima, etc). Some premium colors may be available for select exposed fastener systems. Please note that chosen panel system and/or premium color may restrict gauge. Contact your local Metal Mart for additional availability information.*









## ARCHITECTURAL KYNAR 500 (PVF / PVDF) 40 YR LTD FINISH / 50 YR LTD SUBSTRATE \$\$\$

<p>BONE WHITE</p>  <p>SR=0.71 SE=0.85 SRI=86</p>	<p>ALMOND</p>  <p>SR=0.60 SE=0.84 SRI=70</p>	<p>SANDSTONE</p>  <p>SR=0.54 SE=0.86 SRI=63</p>	<p>BUCKSKIN</p>  <p>SR=0.38 SE=0.86 SRI=41</p>
<p>TERRATONE</p>  <p>SR=N/A SE=N/A SRI=N/A</p>	<p>MEDIUM BRONZE</p>  <p>SR=0.30 SE=0.87 SRI=31</p>	<p>MANSARD BROWN</p>  <p>SR=0.30 SE=0.85 SRI=30</p>	<p>DARK BRONZE</p>  <p>SR=0.26 SE=0.84 SRI=24</p>
<p>SLATE GRAY</p>  <p>SR=0.43 SE=0.85 SRI=47</p>	<p>TERRA-COTTA</p>  <p>SR=0.35 SE=0.85 SRI=36</p>	<p>COLONIAL RED</p>  <p>SR=0.33 SE=0.85 SRI=34</p>	

## DEEP TONE KYNAR 500 (PVF / PVDF) 40 YR LTD FINISH / 50 YR LTD SUBSTRATE \$\$\$\$

<p>HARTFORD GREEN</p>  <p>SR=0.25 SE=0.85 SRI=23</p>	<p>REGAL BLUE</p>  <p>SR=0.26 SE=0.85 SRI=24</p>	<p>BRITE RED (20 YR/50 YR)</p>  <p>SR=0.42 SE=0.84 SRI=45</p>	<p>BRANDYWINE</p>  <p>SR=0.26 SE=0.85 SRI=24</p>
--	---	---	---








## METALLICS & SPECIALTY KYNAR 500 (PVF / PVDF) 40 YR LTD FINISH / 50 YR LTD SUBSTRATE \$\$\$\$\$

<p>CHAMPAGNE METALLIC</p>  <p>SR=0.38 SE=0.80 SRI=38</p>	<p>COPPER PENNY METALLIC</p>  <p>SR=0.49 SE=0.85 SRI=55</p>	<p>TEXAS SILVER METALLIC</p>  <p>SR=0.58 SE=0.78 SRI=66</p>	<p>SILVER METALLIC</p>  <p>SR=0.57 SE=0.78 SRI=64</p>
<p>LEADCOAT</p>  <p>SR=0.37 SE=0.82 SRI=38</p>	<p>PREWEATHERED GALVALUME</p>  <p>SR=0.30 SE=0.79 SRI=27</p>	<p>COR-TEN</p> 	<p>MOSSY OAK</p> 

**CUSTOM COLORS AVAILABLE FOR SPECIAL ORDER\*!**

\*Minimum order of 5000 pound master coil required. Contact your local Metal Mart store manager for details.

# Metal Mart Panel Profiles



 Approved by the Texas Department of Insurance

 UL 2218 Impact Resistance Class 4

*Metal Mart's Color Chart is strictly representative of colors offered by Metal Mart and should not be used exclusively for color selection. It is always best to pick up physical color chip samples from your local Metal Mart store, especially when color matching is important. Color sample availability varies by location. Please use the "Contact Us" form on our website to special order color samples not available at your local Metal Mart store.*